DOMESTIC VIOLENCE IN EUROPE

Ana Cervantes-Herrera
Cinthia Tomasa Mercado Contreras

Background

"Any act of gender-based violence that results in, or is likely to result in, physical, sexual, or mental harm or suffering to women, including threats of such acts, coercion or arbitrary deprivation of liberty, whether occurring in public or in private life"

It includes physical, sexual, and psychological harm by a current or former partner or spouse, in any form or means It includes different phenomena, such as power, control and manipulation. This scope of actions is wide enough to encompass specific forms of permanent control, coercion, manipulation and humiliation


Physical consequences

- Cardiovascular, gastrointestinal
- Reproductive/gynecological issues
 - Vaginal bleeding and urinary tract infections
- Musculoskeletal Issues
- Traumatic brain injuries
- Cronic pain
- Cronic dishabilites

Psychological consequences

- Generalized anxiety disorders
- Risk for major depressive disorder (MDD) including postpartum depression
- PTSD symptoms
- Phobias
- Self-harm
- Sleep and eating disorders

Method



46 papers

Methods

Reach

Crossnational análisis

National

Regional

Local

Type of tool

- Questionnarie
- Online survey
- Qualitative interviews (online and offine)
- Mix metods
- Review existing literature

Focus

- Emotional, physical and sexual abuse
- Domestic violence
- Financial abuse
- Behavioral patterns
- Impulsivity
- Forensic data

Victim gender

- Women
- Male
- Women and men


Type of abuse

- Physical
- Pysical and sexual
- Coercion
- Emotional
- Psychological
 - Economical

Risk factors

Sexism were positively related whit PA

Positive attitude towards use of violence in social relationships



Risk factors

Adolescent and youg women are at higer risk

Police is not properly trained

Higher involment in economic domains go togeher with less PA

Heavy drinking

Frequent quarrels

Arrest did not limit de likelihood of another offence relete PA Violent women are more likely to have symptoms of depression and be economically disadvantaged

Legal aproach



Technology-based interventions

App

- Informations about risk behaviors
- Safety desition making

Internet of things (IoT) Smartwhatch and Smart bands

- Continuous knowledge of the status of the survivor and, if necessary, of the o ender. In this way, and using GPS location
- Emergency management. A comprehensive management system must be ready to deal with a risky situation. GPS would show the exact point where an assault has taken place; biosignals would suggest the survivor's status, etc.
- Easy exchange of information. Between the survivor and police, healthcare professionals, trusted person, and all people involved in managing IPV.

OMG's

- Shelters
- Legal advice
- Suport grups

Arts-based Gestalt therapy

• Self-esteem

Behavioral therapy

- Problem-solving
- Anger
- Ansiety

Cognitive-behavioral therapy

- Self-esteem
- PTSD
- Depression

Discussion



Discussion



Training on respectful collaborative communication

Treatment programmes that takes in to account the offenders often do not see that they hurt other people

A relational approach to relationship building and modelling interpersonal skills is recommended

It is essential that this crime be prosecuted whether the victims press charges or not

Thank you!

ana.cervantes@uacj.mx